

[Start](#) | [Author Index](#) | [View Uploaded Presentations](#) | [Meeting Information](#)

GSA Annual Meeting in Denver, Colorado, USA - 2016

Paper No. 166-5

Presentation Time: 9:00 AM-6:30 PM

MINERALOGY OF CERES' FEJOKOO (AC-5) QUADRANGLE

MCFADDEN, Lucy A.¹, ZAMBON, Francesca², CIARNIELLO, M.³, CARROZZO, Filippo Giacomo⁴, COMBE, Jean-Philippe⁵, AMMANNITO, E.⁶, DESANCTIS, M.C.⁷, RUESCH, Ottaviano⁸, STEPHAN, Katrin⁹, HUGHSON, Kynan H.G.⁶, LONGOBARDO, Andrea¹⁰, TOSI, Federico², RAYMOND, Carol A.¹¹, RUSSELL, Christopher T.¹², SINGH, Sandeep⁵ and FONTE, Sergio², (1)NASA, GSFC, Greenbelt, MD 20771, (2)INAF - Istituto Nazionale di Astrofisica, IAPS - Istituto di Astrofisica e Planetologia Spaziali, Via del Fosso del Cavaliere, 100, Rome, I-00133, Italy, (3)INAF - Istituto Nazionale di Astrofisica, IAPS, IAPS - Istituto di Astrofisica e Planetologia Spaziali, via fosso del cavaliere 100, Rome, I-00133, Italy, (4)INAF - Istituto Nazionale di Astrofisica, IAPS - Istituto di Astrofisica e Planetologia Spaziali, Via del Fosso del Cavaliere, 100, Rome, I-00133, (5)Bear Fight Institute, P.O. Box 667, 22 Fiddler's Rd, Winthrop, WA 98862, (6)Institute of Geophysics and Planetary Physics, University of California, Los Angeles, CA, (7)Istituto di Astrofisica Spaziale e Fisica Cosmica, Area Ricerca - Roma 2 Tor Vergata, Via Fosso del Cavaliere, 100, Rome, 00133, Italy, (8)Goddard Space Flight Center, NASA, Greenbelt, MD 20771, (9)German Aerospace Center, Institute of Planetary Research, Rutherfordstrasse 2, Berlin, 12489, Germany, (10)IAPS - Istituto di Astrofisica e Planetologia Spaziali, INAF - Istituto Nazionale di Astrofisica, Via del Fosso del Cavaliere, 100, Rome, I-00133, Italy, (11)Jet Propulsion Laboratory, California Institute of Technology, Pasadena, CA, (12)Earth Planetary and Space Sciences, University of California, Los Angeles, Los Angeles, CA 90095-1567, lucy.mcfadden@nasa.gov

The Dawn spacecraft orbited the dwarf planet Ceres beginning March 2015, mapping the planet with a framing camera (FC), visible and infrared spectrometer (VIR) and gamma-ray and neutron detector (GRaND) [1]. We examine the spectral reflectance of surface features in the Fejokoo quadrangle located within 21-66 °N and 270-360 °E, and address the following scientific questions:

1. What is the surface composition in this quadrangle?
2. How does it compare to the global composition of Ceres?
3. Is there a correlation between morphological features and surface composition?
4. What are the implications for the formation and evolution of Ceres' surface?

Hughson et al. (2016, in prep) describe the terrain in Fejokoo as highly cratered [2] and it is suitably termed ancient. The largest crater, Fejokoo, is hexagonal in habit and 68 km mean diameter. Topography [3] reveals six tholi that are ~20 x 20 km in lateral extent and ~3 km high. Our analysis focuses on data returned from VIR [4] and displayed as spectral parameter maps as in [5] and ortho-rectified FC images comprising controlled photomosaics of Ceres [6]. The spectral reflectance and significant spectral parameters are largely uniform across the region and consist of a relatively flat spectrum between 0.5-2.6 µm, a UV absorption edge shortward of 0.4 microns and a complex of near-IR absorptions that represent a mixture of ammoniated phyllosilicate, carbonates and a spectrally dark component that cannot be specifically identified [7]. The crater Oxo stands out by the additional presence of water ice features [8] and at least five other small, bright spots show spectral variations from surrounding material of varying compositional significance. Ceres surface has been uniformly covered with dark clays and carbonates while exposure of materials from beneath the top-coating layer, at discrete locations have different spectral parameters and thus variable composition.

[1] Russell C. T. and Raymond, C.A., 2011, SSR 163, 3-23 [2] Hughson et al. 2015 AGU Fall Meeting. Agu, 2015 [3] Preusker et al. 2016 LPSC #1954 [4] De Sanctis M.C. et al., 2011, SSR 163, 329-369 [5] Ammannito, E. et al. 2016 Science, in press [6] Roatsch, T. et al. 2016, PSS doi:10.1016/j.pss.2016.05.0117 [7] DeSanctis et al. 2015, Nature, 528, 241-244 [8] Combe J-Ph. et al., 2016, LPSC #1820

Session No. 166--Booth# 346

[T159. Ceres' Surface Composition as an Indication of Interior Evolution \(Posters\)](#)

Monday, 26 September 2016: 9:00 AM-6:30 PM

[Exhibit Hall E/F \(Colorado Convention Center\)](#)

Geological Society of America *Abstracts with Programs*. Vol. 48, No. 7
doi: 10.1130/abs/2016AM-281189

© Copyright 2016 The Geological Society of America (GSA), all rights reserved. Permission is hereby granted to the author(s) of this abstract to reproduce and distribute it freely, for noncommercial purposes. Permission is hereby granted to any individual scientist to download a single copy of this electronic file and reproduce up to 20 paper copies for noncommercial purposes advancing science and education, including classroom use, providing all reproductions include the complete content shown here, including the author information. All other forms of reproduction and/or transmittal are prohibited without written permission from GSA Copyright Permissions.

[<< Previous Abstract](#) | [Next Abstract >>](#)
